Thursday, 6/14/2007 3:18:09 PM

Kim Johnston

Process Sheet

Customer

: CU-DAR001 Dart Helicopters Services

Job Number **Estimate Number** : 32912

P.O. Number

: 12448 AIU:

: 6/14/2007 This Issue

First Issue : 27471 Previous Run

Written By

Prsht Rev.

Checked & Approved By

Comment

S.O. No. : NA

New Issue 06-06-09

: PURCHASED PARTS

Drawing Name

: X-TUBE MATERIAL

Part Number

Drawing Number

: D6017115 · D6017 REV A

Project Number **Drawing Revision**

: N/A

Material Due Date

NA : 8/17/2007

Each

Additional Product

Job Number:



Seq. #:

Description:

Comment: PURCHASING

Issue P/O:

c207/06/15

- a)Description: 4130 Seamless Steel Tube
- b) 2.339"OD X2.00" ID X115" Long
- c) Tolerance on all dimensions are as per Dwg D6017.
- d) Material: AISI 4130 (AMS 6371) Seamless tube

Material certification required

. 2.0

D6017115P

Crosstube Material



Comment: Qty.:

1.0000 Each(s)/Unit Total:

Crosstube Material

3.0

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Receive & Inspect For Transit Damage Ensure material certification is attached

4.0 QC6




Comment: DIMENSIONAL CHECK

5.0

PACKAGING 1







Comment: PACKAGING RESOURCE #1

Identify and Stock

Location: enc



Dart	Aero	space	Ltd
------	------	-------	-----

DATE STEP PROCEDURE CHANGE By Date Qty Chief Eng / Prod Mgr	W/O:				WORK ORDE	RCHANGES					
	DATE	STEP		PR	OCEDURE CHANGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
				<u>.</u>							
			<i>:</i>								·
									<u></u>		

Part No:	PAR #:	Fault Category:	NCR: Yes No DQA: D	Date: <u>Alidlay</u>
		·		

QA: N/C Closed: ____ Date: ____

NCR:			WORK ORDE	R NON-CONFORMAN	CE (NCR)	!		
		Description of NC		Corrective Action Section I	3	Verification	Annroval	Annroyal
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector
						-		
		İ					-	
		: 1						
								Ĩ
							·	•

NOTE: Date & initial all entries

Date: User: Thursday, 6/14/2007 3:18:09 PM

Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: X-TUBE MATERIAL

Job Number: 32912

Part Number: D6017115

Job Number:



Seq. #:

Job Completion

Machine Or Operation:

Description:

6.0

QC21

FINAL INSPECTION/W/O RELEASE



DM10/24

Comment: FINAL INSPECTION/W/O RELEASE



W671024

Dart	Aei	osi	pace	Ltd.
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	~~	~~~	

W/O:			WORK ORDER	CHANGES			i		<i>y</i> *
DATE	STEP	PF	ROCEDURE CHANGE	В	y I	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
							i.		
Part No	:	PAR #:	Fault Category:	NCR: `	es N	DQ	A :	_ Date: _	
		ļ		Q	A: N/C	Close	d:	_ Date: _	
NCR:			WORK ORDER NON-COM	NFORMANCE (N	ICR)				


NCR:			WORK ORD	ER NON-CONFORMAN	CE (NCR)			
		Description of NC		Corrective Action Section B	<u> </u>	Verification	A	Ammanal
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector
						:		
								-
						r		
						:		
				· · · · · · · · · · · · · · · · · · ·				
		;						

NOTE: Date & initial all entries



DESIG	g	DRAWN BY	DART AEROSPACE HAWKESBURY, ONTARIO, CANAD	
CHECK	ED .	APPROVED	DRAWING NO.	REV. A
	4	#	D6017	SHEET 1 OF 1
DATE			TITLE	SCALE
06.0	6.30		CROSSTUBE MATERIAL	1:1
Α		06.06.30	NEW ISSUE	

SPECIFICATION CONTROL DRAWING



NOTES

1) D6017-XXX CROSSTUBE LENGTH

WHERE XXX IS LENGTH IN INCHES EG. 115" LONG TUBE: D6017-115

2) MATERIAL: AISI 4130 (AMS 6371) SEAMLESS STEEL TUBE

2.339 OD x 2.000 ID

ANNEALED

3) TOLERANCES ARE PER ASTM A519 AS FOLLOWS:

O.D.: +0.007/-0.000 I.D.: +0.000/-0.007

LENGTH: XXX +0.188/-0.000

STRAIGHTNESS: 0.010" DEVIATION / 12" LENGTH

4) EXTREME CARE MUST BE TAKEN TO PROTECT THE OUTSIDE SURFACE OF THE TUBE. THE OUTSIDE SURFACE MUST BE SMOOTH AND FREE FROM SURFACE DEFECTS SUCH AS SCRATCHES, NICKS, OR DENTS. DEFECTS UP TO 0.005" MAY BE BLENDED OUT LONGITUDINALLY. CIRCUMFERENTIAL GRIND MARKS ARE UNACCEPTABLE.

SHOP COPY RETURN TO

ENGINEERING

UNCONTROLLED COP'
SUBJECT TO AMENDMENT

WITHOUT NOTICE

WORK ORDER NO. 32912

RELEASED

06.08.15 H

Copyright © 2006 by DART AEROSPACE LTD

UNITED STATES CUSTOMS SERVICE

NORTH AMERICAN FREE TRADE AGREEMENT CERTIFICATE OF ORIGIN

1. EXPORTER NAME AND ADDRESS FACTORY STEEL & METAL SUPPLY 14020 OAKLAND AVE. DETROIT, MI 48203 TAX ID NUMEER: 38-126-8118 3. PRODUCER'S NAME AND ADDRESS	FROM: TO: 4. SOLD T	Ŏ.		7		
AVAILABLE L PON REQUEST		ERDEEN ST NSBURY ONTARI	O K6A 1K7			
TAX IDENTIFIC ATION NUMBER: 5: DESCRIPTION OF GOODS		6. HS TARIFF CLASSIFICATION NUMBER	7 PREFERENCE CRITERION	8 PRODUCER	9. NET COST	10. COUNTRY OF ORIGIN
4130 STELL TUBES 70 pcs.2.3 39 O.D. x 170 W x 115" 70 PCS.2. 299 O.D. x 160 W x 125"		7304.51 7304.51	B	NO NO	NO NO	US US

I AGREE TO N AINTAIN, AND PRESENT UPON REQUEST, DOCUMENTATION NECESSARY TO SUPPORT THIS CERTIFICATE, AND TO INFORM, IN WRITING, ALL PERSONS TO WHOM THE CERTIFICATE WAS GIVEN OF ANY CHANGES THAT COULD AFFECT THE ACCURACY OR VALIDITY OF THIS CERTIFICATE

THE GOODS DRIGINATED IN THE TERRITORY OF ONE OR MORE OF THE PARTIES, AND COMPLY WITH THE ORIGIN REQUIREMENTS SPECIFIED FOR THOSE GOOLS IN THE NORTH AMERICAN FREE TRADE AGREEMENT, AND UNLESS SPECIFICALLY EXEMPTED INARTICALE 411 OR ANNEX 401,

THERE HAS EEEN NO FURTHER PRODUCTION OR ANY OTHER OPERATI	ON OUTSIDE THE TERRITORIES OF THE PARTIES; AND
THIS CERTIFICATE CONSISTS OF 1 PAGES, INCLUDING ALL ATTACHEME	NTS.

1 CNAME (PRINT OR TYPE)

11d. SALES

JOSPEH BRICKER 12. DATE 07/20/2007

11f. TELEPHONE NUMBERS

11b. FACTORY STEEL & METAL SUPPLY CO

(VOICE) \$13-883-8300

1.VENDOR NAME AND ADDRESS	2. DATE OF DIRECT			
FACTORY STEEL & METAL SUPPLY		7/20/200	7	
14020 OAKLAND AVE.	3.PURCHASE ORDER	77201200		
DETROIT, MI 48203	p-00000-3986			
	p-00000-3880			
4. CONSIGNEE N ME AND ADDRESS	5.PURCHASER'S NAME AND A	ADDRESS(IF OTHER THAN CO	ONSIGNEES)	
	DART AEROSPACE			
	1270 ABERDEEN ST			
	HAWKSBURY ONTARI	O K8A 1K7		the first types
	Company of Section 1995 of			
	T COUNTRY OF ORIGIN			
6. COUNTRY OF RANSSHIPMENT	7. COUNTRY OF ORIGIN			
HAWKSBUR'	UNITED STATES			
8.TRANSPORTATION	9. CONDITIONS OF SALE			
(AND TERMS OF PAYMENT	and the second s	And the second of the second o	
$(\mathcal{I}(\mathcal{I}))$			NET 30 DAYS	
10.METHOD OF F AYMENT	11. NUMBER OF PIECES:		ing and the second	
US FUNDS	140 PCS.		SELLIN	G PRICE
		13. QUANTITY	14. UNIT PRICE	15. TOTAL
4130 STEE _ TUBES		13. QOAYIII		
COLD DRAWN SEAMLESS				
2.339 O.D. <170 Wall x 115"		70 pcs.	10.00 ft	6708,33
2.299 O.D. c 160 W x 125"		70 pcs.	9.10 ft	1100 110
				6635.42
BOXING CHARGE				00
	en e			92000
	e Common Congo do maré e e			
	े ्राप्ति अस्त्री सुर्व ४ छन्।			
	_	<u> </u>		<u> </u>
16. IF ANY OF FIELDS 1 TO 8 ARE INCLUDED ON AN	17.TARIFF NUMBER		11 11 11	175
ATTATCHED I IVOICE, PLACE AN "X" IN THIS BOX:]		\$ 14,26.), 73
INVOICE NUM 3ER	<u>7304,51</u>			
19. EXPORTER NAME AND ADDRESS IF OTHER THAN VENDOR	20.ORIGINATOR (NAME AND ADD	RESS)		
	JOSEPH BRICKER			
The state of the s	14020 OAKLAND AVE			
and the second of the second o	DETROIT MI 48203			
				San Arte
21. REVENUE CA VADA RULING IF APPLICABLE	22. IF FIELDS 23 AND 24 ARE NOT	APPLICABLE,		
	PLACE AN "X" IN THIS BOX:	alliana de la completa del completa del completa de la completa del completa del la completa del completa d	the group of the control of	
23. IF INCLUDED IN FIELD 18, INDICATE AMOUNT	24. IF INCLUDED IN FIELD 18, INDIC	CATE AMOUNT	alaanii Bardii seessa 1000 oo	
A TRANSPORTATION CHARGES, EXPENSES AND INSURANCE	A TRANSPORTATION CHARGES, EXPENSI	ES AND INSURANCE		
FROM THE PLAC OF DIRECT SHPMENT TO CANADA	FROM THE PLACE OF DIRECT SHIPME	NT TO CAÑADA		
		 In the second control of the se		ta Tenja
B. COSTS FOR CON: TRUCTION, ERECTION AND ASSEMBLY	B. COSTS FOR CONSTRUCTION, ERECTIO			
INCURRED AFTEL IMPORTATION TO CANADA	INCURRED AFTER IMPORTATION TO C	ANADA		
C. EXPORT PACKAG 4G	C. EXPORT PACKAGING			
		Supplied to the supplied of th	<u> </u>	<u> </u>
	and the second second second			

	PACKING L	LIST		No. 608	PG I OF I
	FACTORY STEEL & METAL 14020 OAKLAND AVENUE DETROIT, MI 48203	AL SUPPLY E	CUST TD BI DA3336 CI JOB NAME T	BUYER CL. CLAVOIE Tel (613) 632-3336 Fax (613) 632-4443	SHIP DATE 07/20/2007 SHIP VIA TST OVERLAND
	(313)883-6300 PHONE (313)883-4883 FAX		SALES ORDER # ORDER DATE S 452 07/20/2007 J	ES REP BRICKEI CHASE OF	RESALE # 59-2958719 FOB:
	SOLD TO DART AEROSPACE 1270 ABERDEEN STREET	· .	STREET	P000003986 SHIP_INST	DETROLI
٦d	HAWKESBURY, ON KGA	1K7	_ 	TERMS NET 30 DAYS	
	TINEL PCS OUANTITY	Y DESCRIPTION	HIQIM	H LENGTH WEIGHT	UNIT PRICE TOTAL
	\$3		RD-N.2339170 4130N CD SMLSS RD TUBE 2.339" OD X .170W (2.00ID)	115.000" 2,643.082	Q
		0ur Tag # 15065	Heat # Pcs Total Ft 70 670.833		
	2 . 70	RD-N.2299160 4130N CD SMLSS	RD-N.2299160 4130N CD SMLSS RD TUBE 2.299" OD X .160W (2.00 ID)	125.000" 2,668.751	
		Our Tag # 15066	Heat # Pcs Total Ft 70 729.167		
		PACK BOXING. CHARGES	S		
		MTRS (CIRCLE) DATE: 7/244	AUCZ INITIAL:		
	1886 後 間間 5 5 5 5			Jether 25	
					101AL
	19171 LB 5,311 LB RECEIVED BY -		REGETALED	DATE RECEIVED	ED
0 \$)	Copyright 2006 Bayern Software Phoenix, Arizona (623)298-5228 www.bayernsoftware.com	5228 www.bayernsoftware.com	

	nlêşs tube		* .	-											SHIP	
	6476		HIGAN S	SEAML			<u>:</u>	SO T DIW	UTH L		MICH ACCOUNT		4817	8 Us	00:	1 PAI
ORDER NUMBER	CUSTOMER ORDE	ER NUMBER	DATE		OFC	СОМ		1	i	1		8001E	200		10R	1
029240	061907J	OE	06/20	1/07	22	00		1	6 16	01	0 2 3 7	00011		<u></u>		
	RY STEEL OAKLAND	7	ETAL SUF	PLY				SHIP	FACTO				JΕ		T) In'	R
T DETRO	IT		MJ	[·	4.6	8203		P	DETRO	IT			MI	482	<u> </u>	
ROUTING OPEN TOE	P/FULLY T	rarpeo)/FOB S	OUTH	r.koi	N MI							PP	D TR	UCK	
ANALYS			SHAPE	I		PRODUCT		=	FC		ANNEAL		- 0	7/13		
4130	15	ROUN	a)	CC	ם מים ני	DRAWN	1				SPEC			(/ 1	PROMISE	
_	}		SPECIFICA	TION		CMS	ST			DESCRIPT			- -	7/13		
SEAMLESS	3		AMS63		19			CD	ALLOY	AIR	CRAFT			()15	701	
SPECIAL INSTRUCTION OF STATE AMS-6360	WIN ATER			73 AMS		7 1 .1 . 2	4 PL 3 "		J (• • • 1111	. ,						

NOTE-2, AMS-T6736AN, AMS-6371J, AMS6360L & 4130H. MAT'L TO BE BOKED OIL_OD SURFACE CRITICAL.CIRCUMFERENTIAL GRIND MARKS UNACCEPTABLE WEIGHT WT/FT LENGTH -WALL O.D. QUANTITY ITEM 3,938 2.339 2.000

1		 i I	ŀ	1	0.11110
	:			·	
	 -ALEBALE NUM PCS FT		LENGTH	ITM STATUS	PART NUMBER

NUM 1	NUM 1 2 2 2	PCS 40	FTG 383	HEAT NO. 00A053546 00A053546	CUT	TH 7.000** 7.000**	NUMBER

_					т		┼	Si	Ni	Cr	Mo	Çu	Al .	R	EMARKS
	HEAT NO.	С	Mn		Р	s	\vdash								
Dic	00A053546	. 280	. 4	70	.014	. 0	18	. 240	.090	.660	.160	.240	.02	6 EF SD USA	i
00120															
					:							ļ			
HIJ.													<u> </u>		
-	HEAT NO.	ULT. STR.	PSI	YII	ELD, PSI	% ELO	NG	HAF	RDNESS	HYDRO	TEST PSI	ULTRA SO	NIC %	EDDY CURRENT	EXPANS
				10	9,399	18	. 8	BHN	241-24	3				OK	
1					* .					BEND	FLAT	TEN FI	ARE	REV. FLATTEN	FLANG
1															
+	BECARB OK	GRA	IN P	IZI	2 7	1,									

SEV 0.03 FREQ 0.02 MACROS S1, R1, C2 J1 J2 J3 J4 J5 J6 J7 J8 J9 J10 49 49 46 40 34 30 28 27 26 MELTED & MANUFACTURED IN USA

We hereby certify that the reported data a correct according to Michigan Seamless Tul tests and those of its suppliers.

TEST REPORT

MICHIGAN

FACTORY STEEL & METAL SUPPLY

001 SOUTH LYON, MICHIGAN 48178 MICHIGAN SEAMLESS TUBE 6475 DI WI NET SLS | GR SLS | ACCOUNT NUMBER COM ORDER NUMBER | CUSTOMER ORDER NUMBER | DATE 10R 02598001FCO 22 00 16 16 06/20/07 061907JOE 029241

FACTORY STEEL & METAL SUPPLY SOLD 14020 OAKLAND

48203 MI

14020 OAKLAND AVENUE DETROIT

INV MI 48203

SHIPME:

SN

TR

ROUTING

DETROIT

SEAMLESS

T

PPD TRUCK

OPEN TOP/FULLY TARPED/FOB SOUTH LYON MI REQUESTED ANALYSIS SHAPE 07/13/07 PER SPEC COLD DRAWN ROUND 4130 PROMISE DESCRIPTION 07/13/07 CD ALLOY AIRCRAFT AMS6371/A519

SPECIAL INSTRUCTIONS YIELD, AIM 90 PSI, CERT TO A519-96, MILT-6736BN NOTE-2 AMS-6360L W/DECARB LEVELS TO AMS-6371J, AMS-T-6736AN, 4130H & AMS-2301J.PRODUCE FROM 1-HEAT.MARK TO INCL GRADE, A519-96, MILT-6736BN

NOTE- 2, AMS- T6736AN, AMS- 6371J, AMS 6360L & 4130H. MAT'L TO BE BOXED OIL_OD SURFACE CRITICAL.CIRCUMFERENTIAL GRIND MARKS UNACCEPTABLE

WT/FT WEIGHT LENGTH I.D. WALL O.D. QUANTITY ITEM 11:29:14 3.443 2.299 2.000 07/13/0

ITM --BALE--BALE PCS FTG HEAT NO. MUN MUM 0000T2753 729 70

ITM PART NUMBER . LENGTH STATUS 10 5.000 ** COM CUT

					1								
٦	HEAT NO.	С	Mn	P	s	Si	Ni	Cr	Мо	Çu	Ai	F	REMARKS
מום	0000T2753	.310	.580	.009	. 0 2 0	0 .240	.110	1.020	.150	. 200	.030	EF TI	MKEN
(L.) (! () (C.)													
OI ILITITO IL													
_	HEAT NO.	ULT. STR.	PSI	YIELD, PSI	% ELONG	HAF	RDNESS	HYDRO	TEST PSI	ULTRA SOI	NIC % ED	DY CURRENT	EXPANS
5	0000T2753	000T2753 112,01		90,659 25		вни	229-23	5		<u> </u>	-	OK	
1000								BEND	FLAT	TEN FL	ARE RE	EV. FLATTEN	FLANG
INTEGRAL OF STREET		* . • -				,	:						
Ħ			Į.	1		· ·				1			1

GRAIN DECARB

SEV 0.0 FREQ 0.00 MACROS S1, R1, C2

J1 J2 J3 J4 J5 J6 J7 J8 J9 J10 53 52 51 50 45 42 39 36 34

MELTED & MANUFACTURED IN USA

We hereby certify that the reported data as correct according to Michigan Seamless Tub tests and those of its suppliers. 8.2P8.F9 R